

# Routine Visit Schedule and Recommended Vaccines and Tests

Birth	Hep B vaccine
1 month	No routine vaccines or tests
2 months*	DTaP, Hep B, Hib, IPV, PCV-13, and Rotavirus vaccines
4 months*	DTaP, Hep B, Hib, IPV, PCV-13, and Rotavirus vaccines
6 months*	DTaP, Hep B, Hib, IPV, PCV-13, and Rotavirus vaccines, hearing & vision test
9 months	No routine vaccines or tests
12 months	Hep A & MMR vaccines, anemia & lead screening, hearing & vision tests, Fluoride Varnish
15 months	PCV-13 & Varicella vaccines
18 months	DTaP & Hib vaccines, Fluoride Varnish
2 years	Hep A vaccine, anemia & lead screening, hearing & vision tests, Fluoride Varnish
3 years	Anemia & lead screening, hearing & vision tests, Fluoride Varnish
4 years*	DTaP, IPV, MMR & Varicella vaccines, hearing & vision tests, Fluoride Varnish
5 years*	Hearing & vision tests, Fluoride Varnish
6 years	Hearing & vision tests
7 years	Hearing & vision tests
8 years	Hearing & vision tests
9 years	Hearing & vision tests, HPV** vaccine offered
10 years	Routine cholesterol screen, hearing & vision tests, HPV** vaccine offered
11 years	Tdap & Meningococcal vaccines, HPV** vaccine offered, hearing & vision tests
12 years	HPV** vaccine offered, hearing & vision tests
13 years	Hearing & vision tests
14 years	Hearing & vision tests
15 years	Hearing & vision tests, routine urinalysis
16 years	Meningococcal vaccine, hearing & vision tests, routine urinalysis
17 years	Routine cholesterol screen, hearing & vision tests, routine urinalysis, Men B vaccine discussed
18 years	Hearing & vision tests, routine urinalysis, Men B discussed
19 – 26 years	Hearing & vision tests, routine urinalysis

\*Some vaccines are given in a combined formulation to reduce the number of actual injections.

\*\* HPV is a 2 dose series if started before the age of 15 years with the 2nd dose given between 6 to 12 months after the initial dose.

HPV is a 3 dose series if started after the age of 15 years with the 2nd and 3rd dose given 2 months and 6 months after the initial dose.

We recommend getting the first dose at 9 years.

Hep A vaccine will be offered to anyone who has not been vaccinated previously over the age of 1 year.

During flu season, the flu vaccine is offered at all well-visits age 6 months and older.

Vaccine abbreviations are listed on the back of this insert.

## Physical Exams

The well-child visits are an opportunity to raise questions and concerns about your child's development, behavior and general well-being. NAP strongly believes in preventative screenings.

# Vaccine Abbreviations

DTaP = Diphtheria, Tetanus, Pertussis vaccine

Flu = Influenza vaccine

Hep A = Hepatitis A vaccine

Hep B = Hepatitis B vaccine

Hib = Haemophilus Influenzae B vaccine

HPV = Human Papillomavirus (Gardasil) vaccine

IPV = Polio vaccine

Kinrix = combined Diphtheria, Tetanus, Pertussis and Polio vaccines

Meningococcal = Meningitis (Menactra) vaccine

Men B = Meningococcal B vaccine

MMR = Measles, Mumps, Rubella vaccine

MMRV = combined Measles, Mumps, Rubella and Varicella vaccines

PCV-13 = Pneumococcal Conjugate vaccine

Vaxelis = combined Diphtheria, Tetanus, Pertussis, Hepatitis B, Haemophilus Influenzae B and Polio Vaccines

Tdap = Tetanus, Diphtheria, Pertussis vaccine

Varicella = Chicken Pox vaccine

Vaccine information sheets about each recommended vaccine are available in every examination room at the office as well as on our website (**[www.naped.com](http://www.naped.com)**).