

Routine Visit Schedule and Recommended Vaccines and Tests

| | |
|---------------|---|
| Birth | Hep B vaccine |
| 1 month | No routine vaccines or tests |
| 2 months* | DTaP, Hep B, Hib, IPV, Prevnar 20, and Rotavirus vaccines |
| 4 months* | DTaP, Hep B, Hib, IPV, Prevnar 20, and Rotavirus vaccines |
| 6 months* | DTaP, Hep B, Hib, IPV, Prevnar 20, and Rotavirus vaccines, hearing & vision test |
| 9 months | No routine vaccines or tests |
| 12 months | Hep A & MMR vaccines, anemia & lead screening, hearing & vision tests, Fluoride Varnish |
| 15 months | Prevnar 20 & Varicella vaccines |
| 18 months | DTaP & Hib vaccines, Fluoride Varnish |
| 2 years | Hep A vaccine, anemia & lead screening, hearing & vision tests, Fluoride Varnish |
| 3 years | Anemia & lead screening, hearing & vision tests, Fluoride Varnish |
| 4 years* | DTaP, IPV, MMR & Varicella vaccines, hearing & vision tests, Fluoride Varnish |
| 5 years* | Hearing & vision tests, Fluoride Varnish |
| 6 years | Hearing & vision tests |
| 7 years | Hearing & vision tests |
| 8 years | Hearing & vision tests |
| 9 years | Hearing & vision tests, HPV** vaccine offered |
| 10 years | Routine cholesterol screen, hearing & vision tests, HPV** vaccine offered |
| 11 years | Tdap & Meningococcal vaccines, HPV** vaccine offered, hearing & vision tests |
| 12 years | HPV** vaccine offered, hearing & vision tests |
| 13 years | Hearing & vision tests |
| 14 years | Hearing & vision tests |
| 15 years | Hearing & vision tests, routine urinalysis |
| 16 years | Meningococcal vaccine, hearing & vision tests, routine urinalysis |
| 17 years | Routine cholesterol screen, hearing & vision tests, routine urinalysis, Men B vaccine discussed |
| 18 years | Hearing & vision tests, routine urinalysis, Men B discussed |
| 19 – 26 years | Hearing & vision tests, routine urinalysis |

*Some vaccines are given in a combined formulation to reduce the number of actual injections.

** HPV is a 2 dose series if started before the age of 15 years with the 2nd dose given between 6 to 12 months after the initial dose.

HPV is a 3 dose series if started after the age of 15 years with the 2nd and 3rd dose given 2 months and 6 months after the initial dose.

We recommend getting the first dose at 9 years.

Hep A vaccine will be offered to anyone who has not been vaccinated previously over the age of 1 year.

During flu season, the flu vaccine is offered at all well-visits age 6 months and older.

Vaccine abbreviations are listed on the back of this insert.

Physical Exams

The well-child visits are an opportunity to raise questions and concerns about your child's development, behavior and general well-being. NAP strongly believes in preventative screenings.

Vaccine Abbreviations

DTaP = Diphtheria, Tetanus, Pertussis vaccine

Flu = Influenza vaccine

Hep A = Hepatitis A vaccine

Hep B = Hepatitis B vaccine

Hib = Haemophilus Influenzae B vaccine

HPV = Human Papillomavirus (Gardasil) vaccine

IPV = Polio vaccine

Kinrix = combined Diphtheria, Tetanus, Pertussis and Polio vaccines

Meningococcal = Meningitis (Men Quadfi) vaccine

Men B = Meningococcal B vaccine

MMR = Measles, Mumps, Rubella vaccine

MMRV = combined Measles, Mumps, Rubella and Varicella vaccines

Pevnar 20 = Pneumococcal Conjugate vaccine

Vaxelis = combined Diphtheria, Tetanus, Pertussis, Hepatitis B, Haemophilus Influenzae B and Polio Vaccines

Tdap = Tetanus, Diphtheria, Pertussis vaccine

Varicella = Chicken Pox vaccine

Vaccine information sheets about each recommended vaccine are available in every examination room at the office as well as on our website (**www.napeds.com**).